

# Hooks and Templates


An application of self-sends are plans for reuse

Damien Cassou, Stéphane Ducasse and Luc Fabresse

W6S05



<http://www.pharo.org>




# Remember...

- A message send leads to a choice
- A class hierarchy defines the choices
- Code can be reused and refined in subclasses
- Sending a message in a class defines a hook:
  - i.e., a place where subclasses can inject variations



# The Template Method

- a template method specifies a skeleton
- the skeleton has hooks, i.e., places to be customized
  - hooks may or may not have a default behavior



# printString: A Template Method

```
(Delay forSeconds: 10) printString  
>>> 'a Delay(10000 msecs)'
```

# printString Template Method

```
Object >> printString
```

"Answer a String whose characters are a description of the receiver."

```
^ self printStringLimitedTo: 50000
```

```
Object >> printStringLimitedTo: limit
```

```
| limitedString |
```

```
limitedString := String
```

```
streamContents: [ :s | self printOn: s ]
```

```
limitedTo: limit.
```

```
limitedString size < limit ifTrue: [ ^ limitedString ].
```

```
^ limitedString , '...etc...'
```

# A Default Hook: printOn:

```
Node new  
>>> a Node
```

```
Apple new  
>>> an Apple
```

Default behavior:

```
Object >> printOn: aStream  
"Append to the argument, aStream, a sequence of characters  
that identifies the receiver."  
| title |  
title := self class name.  
aStream  
  nextPutAll: (title first isVowel ifTrue: [ 'an ' ] ifFalse: [ 'a ' ] );  
  nextPutAll: title
```



# printOn: Refinement

```
(Delay forSeconds: 1)  
> a Delay(1000 msecs)
```

Reusing and extending default behavior:

```
Delay >> printOn: aStream  
super printOn: aStream.  
aStream  
  nextPutAll: '(';  
  print: millisecondDelayDuration;  
  nextPutAll: ' msecs)'
```

# printOn: Redefinition

```
true not  
> false
```

Redefinition in False:

```
False >> printOn: aStream  
aStream nextPutAll: 'false'
```



# printOn: Redefinition

```
1 to: 100  
> (1 to: 100)  
1 to: 100 by: 3  
> (1 to: 100 by: 3)
```

Redefinition in Interval:

```
Interval >> printOn: aStream  
aStream  
  nextPut: $(;  
  print: start;  
  nextPutAll: ' to: '  
  print: stop.  
step ~= 1  
  ifTrue: [ aStream nextPutAll: ' by: '; print: step ].  
aStream nextPut: $)
```



# Another Template Method: Object Copy

- Copying objects is complex:
  - graph of connected objects
  - cycles
  - each class may want a different copy strategy
- Simple solution for simple cases: `copy/postCopy`



# Object Copy

`Object >> copy`

"Answer another instance just like the receiver. Subclasses typically override `postCopy`. Copy is a template method in the sense of Design Patterns. So do not override it. Override `postCopy` instead. Pay attention that normally you should call `postCopy` of your superclass too."

`^ self shallowCopy postCopy`

`Object >> shallowCopy`

"Answer a copy of the receiver which shares the receiver's instance variables. Subclasses that need to specialize the copy should specialize the `postCopy` hook method."

`<primitive: 148>`

...



# Default hook

`Object >> postCopy`

"I'm a hook method in the sense of Design Patterns  
TemplateHook/Methods. I'm called by copy. self is a  
shallow copy, subclasses should copy fields as necessary  
to complete the full copy"

`^ self`



# postCopy: Refinement

```
Collection subclass: #Bag  
instanceVariableNames: 'contents'  
classVariableNames: ''  
package: 'Collections-Ordered'
```

```
Bag >> postCopy  
super postCopy.  
contents := contents copy
```

- contents is a Dictionary
- postCopy recursively invoke copy on dictionary



# Dictionary » postCopy: Deeper copy

Dictionary >> postCopy

"Must copy the associations, or later store will affect both the original and the copy"

array := array

collect: [ :association |

association ifNotNil: [ association copy ] ]



# Conclusion

- Template Method is a very common design pattern
- Sending a message defines a hook
- Sending a message increases potential reuse



A course by



and



in collaboration with



Inria 2020

Except where otherwise noted, this work is licensed under CC BY-NC-ND 3.0 France

<https://creativecommons.org/licenses/by-nc-nd/3.0/fr/>