


# Inheritance Basics

S.Ducasse, L. Fabresse, G. Polito, and P. Tesone



# Goal

- What is inheritance?
- When to use it?
- BTW, Pharo has the same inheritance model as Java



# Inheritance

- It is a reuse mechanism
  - We do not reimplement the code of the superclasses
  - We extend it or customize it
- It is based on the expression of a delta
  - Only specify the differences to the superclasses




# The basics

Needs:

- We want to adapt the code by extending existing behavior and state
- We do not want to reimplement everything

Solution: **class inheritance**


- A class extends the definition of its superclass



# Basic subclass behavior


A subclass:

- can **add** state and behavior: color, borderColor, ...
- can **use** superclass behavior and state
- can **redefine** superclass' behavior to **specialize** it



# Root of inheritance hierarchy


- Object is the root of most classes
  - defines the common behavior of all objects
  - raising errors, class access, ...



# In Pharo: ProtoObject

ProtoObject (Object's superclass) has a special purpose:

- raising as much errors as possible
- so that the system can catch such errors and do something with them
- useful for building advanced techniques such as proxy objects



# Two aspects of inheritance

Inheritance is:


- **static** for state/instance variables (i.e., during class creation)
- **dynamic** for behavior (i.e., during execution)






# Inheritance of instance variables

- Happens during **class definition**
- Computed from
  - the class own instance variables
  - the ones of its superclasses
  - usually no duplicate in the chain
- ColoredRectangle **has** a width, height, color, and borderColor



# Inheritance of behavior

- Happens at **run time**
- The method is looked up
  - starting from the receiver's class
  - then going along superclasses



# What you should know

- Inheritance allows developers of a class to **add** state and behavior and **redefine** behavior
- A class has 1 and only 1 superclass (single inheritance model)
- A class eventually inherits from Object
- Inheritance of state is static
- Inheritance of behavior is dynamic



Produced as part of the course on <http://www.fun-mooc.fr>

# Advanced Object-Oriented Design and Development with Pharo

A course by

S.Ducasse, L. Fabresse, G. Polito, and P. Tesone



Except where otherwise noted, this work is licensed under CC BY-NC-ND 3.0 France  
<https://creativecommons.org/licenses/by-nc-nd/3.0/fr/>