



Elements of Design

Stéphane Ducasse

Stephane.Ducasse@univ-savoie.fr

<http://www.listic.univ-savoie.fr/~ducasse/>

License: CC-Attribution-ShareAlike 2.0

<http://creativecommons.org/licenses/by-sa/2.0/>



The image shows a summary of the Creative Commons Attribution-ShareAlike 2.0 license. It features the Creative Commons logo at the top, followed by the text 'creative commons COMMONS DEED' and 'Attribution-ShareAlike 2.0'. Below this, it lists the freedoms granted: copying, distributing, displaying, performing, making derivative works, and making commercial use. It then lists the conditions: Attribution (BY) and Share Alike (SA). The Attribution condition requires giving credit to the original author. The Share Alike condition requires that any derivative work be distributed under the same license. A note states that fair use and other rights are not affected. At the bottom, it provides a link to the full legal code.

 **creative commons**
COMMONS DEED

Attribution-ShareAlike 2.0

You are free:

- to copy, distribute, display, and perform the work
- to make derivative works
- to make commercial use of the work

Under the following conditions:

 **BY:** **Attribution.** You must give the original author credit.

 **Share Alike.** If you alter, transform, or build upon this work, you may distribute the resulting work only under a license identical to this one.

- For any reuse or distribution, you must make clear to others the license terms of this work.
- Any of these conditions can be waived if you get permission from the copyright holder.

Your fair use and other rights are in no way affected by the above.

This is a human-readable summary of the [Legal Code \(the full license\)](#).



Elements of Design

- Instance initialization
- Enforcing the instance creation
- Instance / Class methods
- Instance variables / Class instance variables
- Class initialization
- Law of Demeter
- Factoring Constants
- Abstract Classes
- Template Methods
- Delegation
- Bad Coding Style



Instance initialization

- Automatic initialize
- Lazy initialize
- Proposing the right interface
- Providing default value



Provider Responsibility

- This is the responsibility of the class to provide well-formed object
- The client should not make assumptions or been responsible to send specific sequence of messages to get a working object



Instance Initialization

- How to ensure that an instance is well initialized?
 - Automatic initialize
 - Lazy initialize
 - Proposing the right interface
 - Providing default value



A First Implementation of Packet

Object subclass: #Packet

instanceVariableNames: 'contents addressee originator'

Packet>>printOn: aStream

super printOn: aStream.

aStream nextPutAll: 'addressed to: '; nextPutAll: self
addressee.

aStream nextPutAll: 'with contents: '; nextPutAll: self contents

Packet>>addressee

^addressee

Packet>>addressee: aSymbol

addressee := aSymbol



Packet class Definition

Packet class is automatically defined

Packet class

instanceVariableNames: "

Example of instance creation

Packet new

addressee: #mac ;

contents: 'hello mac'



Fragile Instance Creation

If we do not specify a contents, it breaks!

```
|p|
```

```
p := Packet new addressee: #mac.
```

```
p printOn: aStream -> error
```

Problems of this approach:

responsibility of the instance creation relies on the **clients**

A client can create packet without contents, without address instance variable not initialized -> error (for example, printOn:) -> system fragile



Fragile Instance Creation Solutions

- Automatic initialization of instance variables
- Proposing a solid interface for the creation
- Lazy initialization



Assuring Instance Variable Initialization

- **Problem:** By default **new** class method returns instance with uninitialized instance variables.
- Moreover, initialize method is not automatically called by creation methods new/new:
 - Note that since Squeak 3.7 initialize is called automatically at creation time (new)
- How to initialize a newly created instance ?



The New/Initialize Couple

Define an instance method that initializes the instance variables and override new to invoke it.

(1&2) Packet class>>new “Class Method”
 ^ super new initialize

(3) Packet>>initialize “Instance Method”
 super initialize.

(4) contents := ‘default message’

Packet new (1-2) => aPacket initialize (3-4) =>
returning aPacket but initialized!

Reminder: You cannot access instance variables from a class method like new



The New/Initialize Couple

Object>>initialize

“do nothing. Called by new my subclasses
override me if necessary”

^ self



Strengthen Instance Creation Interface

- **Problem:** A client can still create aPacket without address.
- **Solution:** Force the client to use the class interface creation.
- Providing an interface for creation and avoiding the use of new: Packet send: 'Hello mac' to: #Mac
- **First try:**
Packet class>>send: aString to: anAddress
^ self new contents: aString ; addressee: anAddress



Examples of Instance Initialization

step 1. SortedCollection sortBlock: [:a :b] a name < b
name]

SortedCollection class>>sortBlock: aBlock

"Answer a new instance of SortedCollection such that its
elements are sorted according to the criterion specified in
aBlock."

^self new sortBlock: aBlock

step 2. self new => aSortedCollection

step 3. aSortedCollection sortBlock: aBlock

step 4. returning the instance aSortedCollection



Another Example

step 1. OrderedCollection with: I

Collection class>>with: anObject

"Answer a new instance of a Collection containing
anObject."

```
| newCollection |  
newCollection := self new.  
newCollection add: anObject.  
^newCollection
```



Lazy Initialization

When some instance variables are:

- not used all the time
- consuming space, difficult to initialize because depending on other
- need a lot of computation

Use lazy initialization based on accessors

Accessor access should be used consistently!



Lazy Initialization Example

A lazy initialization scheme with default value

```
Packet>>contents
```

```
  contents isNil
```

```
    ifTrue: [contents := 'no contents']
```

```
  ^ contents
```

aPacket contents or self contents

A lazy initialization scheme with computed value

```
Dummy>>ratioBetweenThermonuclearAndSolar
```

```
  ratio isNil
```

```
    ifTrue: [ratio := self heavyComputation]
```

```
  ^ ratio
```



Providing a Default Value

```
OrderedCollection variableSubclass: #SortedCollection  
instanceVariableNames: 'sortBlock '  
classVariableNames: 'DefaultSortBlock '
```

```
SortedCollection class>>initialize  
DefaultSortBlock := [:x :y | x <= y]
```

```
SortedCollection>>initialize  
"Set the initial value of the receiver's sorting algorithm  
to a default."  
sortBlock := DefaultSortBlock
```



Providing a Default Value

SortedCollection class>>new: anInteger

"Answer a new instance of SortedCollection. The default sorting is a <= comparison on elements. "

^ (super new: anInteger) initialize

SortedCollection class>>sortBlock: aBlock

"Answer a new instance of SortedCollection such that its elements are sorted according to the criterion specified in aBlock. "

^ self new sortBlock: aBlock



Invoking per Default the Creation Interface

OrderedCollection class>>new

"Answer a new empty instance of
OrderedCollection."

^self new: 5



Forbidding new?

Problem: We can still use new to create fragile instances

Solution: new should raise an error!

```
Packet class>>new
```

```
self error: 'Packet should only be created using  
send:to:'
```



Forbidding new Implications

But we still **have to be able to** create instance!

Packet class>>send: aString to: anAddress

^ self new contents: aString ; addressee: anAddress

=> raises an error

Packet class>>send: aString to: anAddress

^ super new contents: aString ; addressee: anAddress

=> BAD STYLE: link between class and superclass
dangerous in case of evolution



Forbidding new

Solution: use basicNew and basicNew:

```
Packet class>>send: aString to: anAddress  
  ^ self basicNew  
    contents: aString ;  
    addressee: anAddress
```

Conclusion: Never override basic* methods else you will not be able to invoke them later



How to Reuse Superclass Initialization?

```
A class>>new
```

```
  ^ super new doThat; andThat; end
```

```
B class>>forceClientInterface
```

```
  ^ self basicNew ???
```

Solution: *Define the initialization behavior on the instance side*

```
A>>doThatAndThatEnd
```

```
  ^ self doThat; andThat; end
```

```
A class>>new
```



Different Self/Super

Do not invoke a super with a different method selector. It's bad style because it links a class and a superclass.

This is dangerous in case the software evolves.



Example

```
Packet class>>new
```

```
self error: 'Packet should be created using send:to:'
```

```
Packet class>>send: aString to: anAddress
```

```
  ^ super new contents: aString ; addressee:  
anAddress
```


Use *basicNew* and *basicNew*:

```
Packet class>>send: aString to: anAddress
```

```
  ^ self basicNew contents: aString ; addressee: anAddress
```



Super is static!



With the super foo:

A new bar

-> 10

B new bar

-> 10

C new bar

-> 10

Without the super foo:

A new bar

-> 10


B new bar

-> 100

C new bar

-> 50

Basic Design Mistakes



A Class should have

```
Class Person {  
    String getName();  
    void setName(String name);  
    int getAge();  
    void setAge(int age);  
    Car getCar();  
    void setCar(Car car);  
}
```

What do we see ?

A class should have one main responsibility and some behavior not just holding state
Minimal access to its data!



Confusing

Class City extends Place { ... }

Class Jerusalem extends City implements Capital { ... }

Class TelAviv extends City { ... }

What is wrong here?

Confusing inheritance and instantiation

Too much inheritance?



Do not expose implementation



Do not overuse conversions

nodes asSet

removes all the duplicated nodes (if node knows how to compare). But a systematic use of asSet to protect yourself from duplicate is not good

nodes asSet asOrderedCollection

returns an ordered collection after removing duplicates

Look for the real source of duplication if you do not want it!



Hiding missing information

Dictionary>>at: aKey

This raises an error if the key is not found

Dictionary>>at: aKey ifAbsent: aBlock

Allows one to specify action aBlock to be done when the key does not exist.

Do not overuse it:

nodes at: nodelId ifAbsent:[]

This is bad because at least we should know that the nodelId was missing



isNil

Avoid to return special results as nil

```
messages := self fetchMessages.
```

```
messages isNil
```

```
  ifFalse: [ messages dispatchFrom: self ]
```

What if we would simply return an empty collection in
fetchMessages instead of nil?

Less conditional and ugly tests!!



Say once and only once

- No Magic Number Duplicated
- Extract method
- Remove duplicated code



Factorize Magic Numbers

Ideally you should be able to change your constants without having any impact on the code!

For that

- define a constant only once via accessor
- provide testing method (`hasNextNode`)
- default value using the constant accessor



Factoring Out Constants

We want to encapsulate the way “no next node” is coded. Instead of writing:

Node>>nextNode

^ nextNode

NodeClient>>transmitTo: aNode

aNode nextNode = 'no next node'

...



Factoring Out Constants

Write:

NodeClient>>transmitTo: aNode

aNode hasNextNode

...

Node>>hasNextNode

^ (self hasNextNode = self class noNextNode) not

Node class>>noNextNode

^ 'no next node'



Default value between class and instance

If we want to encapsulate the way “no next node” is coded and shared this knowledge between class and instances.

Instead of writing:

```
aNode nextNode isNil not
```

Write:

```
Node>>hasNextNode
```

```
  ^ self nextNode = self noNextNode
```

```
Node>>noNextNode
```

```
  ^self class noNextNode
```

```
Node class>>noNextNode
```

```
  ^ #noNode
```



Initializing without Duplicating

```
Node>>initialize  
    accessType := 'local'
```

...

```
Node>>isLocal  
    ^ accessType = 'local'
```

It's better to write

```
Node>>initialize  
    accessType := self localAccessType
```

```
Node>>isLocal  
    ^ accessType = self localAccessType
```



Say something only once

Ideally you could be able to change the constant without having any problems.

You may have to have mapping tables from model constants to UI constants or database constants.



Constants Needed at Creation Time

```
Node class>>localNodeNamed: aString
    |inst|
    inst := self new.
    inst name: aString.
    inst type: inst localAccessType
```

If you want to have the following creation interface

```
Node class>>name: aString accessType: aType
    ^self new name: aString ; accessType: aType
```

```
Node class>>name: aString
    ^self name: aString accessType: self
```

```
localAccessType
```



Constants Needed at Creation Time

You need:

```
Node class>>localAccessType  
  ^ 'local'
```

=> Factor the constant between class and instance level

```
Node>>localAccessType  
  ^ self class localAccessType
```

=> You could also use a ClassVariable that is shared between a class and its instances.



Elements of Design

- Class initialization



Class Methods - Class Instance Variables

- Classes (Packet class) represents class (Packet).
- Class instance variables are instance variables of class
- They should represent the state of class: number of created instances, number of messages sent, superclasses, subclasses....
- Class methods represent class behavior: instance creation, class initialization, counting the number of instances....
- If you weaken the second point: class state and behavior can be used to define common properties shared by all the instances



Class Initialization

- How do we know that all the class behavior has been loaded?
- At the end !
- Automatically called by the system at load time or explicitly by the programmer.
- Used to initialize a classVariable, a pool dictionary or class instance variables.
- 'Classname initialize' at the end of the saved files in Squeak
- In postLoadAction: in VW



Example of class initialization

Magnitude subclass: #Date

instanceVariableNames: 'day year'

classVariableNames:

'DaysInMonth FirstDayOfMonth MonthNames
SecondsInDay WeekDayNames'



Date class >> initialize

Date class >> initialize

"Initialize class variables representing the names of the months and days and the number of seconds, days in each month, and first day of each month."

MonthNames := #(January February March April May
June July August September October November December).

SecondsInDay := 24 * 60 * 60.

DaysInMonth := #(31 28 31 30 31 30 31 31 30 31 30 31).

FirstDayOfMonth := #(1 32 60 91 121 152 182 213 244 274 305
335).

WeekDayNames := #(Monday Tuesday Wednesday Thursday Friday
Saturday Sunday)



Sharing or not



- How can I share state and prepare for instance specific state?

Case Study: Scanner

Scanner new

```
scanTokens: 'identifier keyword: 8r3l "string"
embedded.period key:word: . '
```

>

```
##(#identifier #keyword: 25 'string' 'embedded.period'
#key:word: #'.')
```



A Case Study: The Scanner class

Class Definition

Object subclass: #Scanner

instanceVariableNames: 'source mark prevEnd
hereChar token tokenType saveComments
currentComment buffer typeTable '
classVariableNames: 'TypeTable '
poolDictionaries: "
category: 'System-Compiler-Public Access'




Scanner enigma

Why having an instance variable and a classVariable denoting the same object (the scanner table)?

TypeTable is used to initialize once the table
typeTable is used by every instance and each instance
can customize the table (copying).



Clever Sharing



A Case Study: Scanner (II)

```
Scanner>>initialize
  "Scanner initialize"
  | newTable |
  newTable := ScannerTable new: 255 withAll: #xDefault. "default"
  newTable atAllSeparatorsPut: #xDelimiter.
  newTable atAllDigitsPut: #xDigit.
  newTable atAllLettersPut: #xLetter.
  '!%&*+,-/<=>?@\~' do: [:bin | newTable at: bin asInteger put: #xBinary].
  "Other multi-character tokens"
  newTable at: $" asInteger put: #xDoubleQuote.
  ...
  "Single-character tokens"
  newTable at: $( asInteger put: #leftParenthesis.
  ...
  newTable at: $^ asInteger put: #upArrow. "spacing circumflex, formerly
up arrow"
```



A Case Study: Scanner (II)

Instances only access the type table via the instance variable that points to the table that has been initialized once.

```
Scanner class>> new
  ^super new initScanner
Scanner>>initScanner
  buffer := WriteStream on: (String new: 40).
  saveComments := true.
  typeTable := TypeTable
```

A subclass just has to specialize initScanner without copying the initialization of the table

```
MyScanner>>initScanner
  super initScanner
  typeTable := typeTable copy.
  typeTable at: $) asInteger put: #xDefault.
```



A Simple Case...

- Introducing parametrization



Parametrization Advantages

```
DialectStream>>initializeST80ColorTable
```

```
"Initialize the colors that characterize the ST80 dialect"
```

```
ST80ColorTable _ IdentityDictionary new.
```

```
#((temporaryVariable blue italic)
```

```
(methodArgument blue normal)
```

```
...
```

```
(setOrReturn black bold)) do:
```

```
[:aTriplet |
```

```
ST80ColorTable at: aTriplet first put: aTriplet allButFirst]
```

- Problems:
 - Color tables **hardcoded** in method
 - Changes Require compilation
 - Client responsible of initialize invocation
 - No run-time changes



One Step

```
DialectStream>>initializeST80ColorTable
  ST80ColorTable := IdentityDictionary new.
  self defaultDescription do:
    [:aTriplet |
      ST80ColorTable at: aTriplet first put: aTriplet
    allButFirst]
```

```
DialectStream>>defaultDescription
  ^ #((temporaryVariable blue italic)
    (methodArgument blue normal)
    ...
    (setOrReturn black bold))
```

Still requires subclassing and recompilation

Composition-based Solution

DialectStream>>initializeST80ColorTableWith: ***anArray***

ST80ColorTable := IdentityDictionary new.

anArray

do: [:aTriplet | ST80ColorTable at: aTriplet first

put: aTriplet allButFirst].

self initialize

- **In a Client**

DialectStream initializeST80ColorTableWith:


##(##temporaryVariable #blue #normal) ...

##(##prefixKeyword #veryDarkGray #bold)


##(##setOrReturn #red #bold))

Methods are Units of Reuse

- Dynamic binding and methods
= reuse in subclasses



Methods are Unit of Reuse



Example: Forced to Duplicate!

```
Node>>computeRatioForDisplay
|averageRatio defaultNodeSize|
averageRatio := 55.
defaultNodeSize := self mainWindowCoordinate /
maximiseViewRatio.
self window add:
    (UINode new with:
        (self bandWidth * averageRatio / defaultWindowSize)
    )
...
```

- We are forced to **copy** the complete method!

```
SpecialNode>>computeRatioForDisplay
|averageRatio defaultNodeSize|
averageRatio := 55.
defaultNodeSize := self mainWindowCoordinate + minimalRatio /
maximiseViewRatio.
self window add:
    (UINode new with: (self bandWidth * averageRatio / defaultWindowSize)
    )
...
```

Self sends: Plan for Reuse

```
Node>>computeRatioForDisplay
|averageRatio defaultNodeSize|
averageRatio := 55.
defaultNodeSize := self defaultNodeSize.
self window add:
```

```
    (UINode new with:
```

```
        (self bandWidth * averageRatio /
        defaultWindowSize)
```

```
    ...
```

```
Node>>defaultNodeSize
```

```
    ^self mainWindowCoordinate / maxiViewRatio
```



Do not Hardcode Constants

```
Node>>computeRatioForDisplay
|averageRatio defaultNodeSize|
averageRatio := 55.
defaultNodeSize := self mainWindowCoordinate / maximiseViewRatio.
self window add:
    (UINode new with:
        (self bandwidth * averageRatio / defaultWindowSize).
```

...

- We are forced to copy the method!

```
SpecialNode>>computeRatioForDisplay
|averageRatio defaultNodeSize|
averageRatio := 55.
defaultNodeSize := self mainWindowCoordinate / maximiseViewRatio.
self window add:
    (ExtendedUINode new with:
        (self bandwidth * averageRatio /
        defaultWindowSize).
```

Class Factories

```
Node>>computeRatioForDisplay
```

```
  |averageRatio |
```

```
  averageRatio := 55.
```

```
  self window add:
```

```
    self UClass new with:
```

```
      (self bandwidth * averageRatio / self  
        defaultWindowSize)
```

```
    ...
```

```
Node>>UClass
```

```
  ^ UINode
```

```
SpecialNode>>UClass
```


```
  ^ ExtendedUINode
```

Hook and Template




Hook and Template Methods

- Hooks: place for reuse
- Template: context for reuse



Hook and Template Methods



- **Templates:** Context reused by subclasses
- **Hook methods:** holes that can be specialized
- Hook methods do not have to be abstract, they may define default behavior or no behavior at all.
- This has an influence on the instantiability of the superclass.

Hook / Template Example: Printing

Object>>printString

"Answer a String whose characters are a description of the receiver."

| aStream |

aStream := WriteStream on: (String new: 16).

self **printOn:** aStream.

^aStream contents



Hook

Object>>printOn: aStream

"Append to the argument aStream a sequence of characters that describes the receiver."

| title |

title := self class name.

aStream nextPutAll:

((title at: 1) isVowel ifTrue: ['an '] ifFalse: ['a ']).

aStream print: self class



Overriding the Hook

Array>>**printOn:** aStream

"Append to the argument, aStream, the elements of the Array enclosed by parentheses."

| tooMany |

tooMany := aStream position + self maxPrint.

aStream nextPutAll: '#('.

self do: [:element |

 aStream position > tooMany

 ifTrue: [aStream nextPutAll: '...(more)...'.
 ^self].

 element printOn: aStream]

 separatedBy: [aStream space].

aStream nextPut: \$)

Overriding

```
False>>printOn: aStream  
"Print false."
```

```
aStream nextPutAll: 'false'
```



Specialization of the Hook

The class **Behavior** that represents a class extends the default hook but still invokes the default one.

Behavior>>**printOn:** aStream

"Append to the argument aStream a statement of which

superclass the receiver descends from."

aStream nextPutAll: 'a descendent of '.

superclass **printOn:** aStream



Another Example: Copying

Complex (deepCopy, veryDeepCopy...)

Recursive objects

Graph of connected objects

Each object wants a different copy of itself

No up-front solution



Hook Example: Copying

Object>>copy

" Answer another instance just like the receiver.
Subclasses normally override the postCopy message, but
some objects that should not be copied override copy. "

^self shallowCopy **postCopy**

Object>>shallowCopy

"Answer a copy of the receiver which shares the
receiver's instance variables."

<primitive: 532>



postCopy


Object>>postCopy

"Finish doing whatever is required, beyond a shallowCopy, to implement 'copy'. Answer the receiver. This message is only intended to be sent to the newly created instance. Subclasses may add functionality, but they should always do super postCopy first. "

^self



Sounds Trivial?



Hook Specialisation

```
Bag>>postCopy
```

```
"Make sure to copy the contents fully."
```

```
| new |
```

```
super postCopy.
```

```
new := contents class new: contents capacity.
```

```
contents keysAndValuesDo:
```

```
[:obj :count | new at: obj put: count].
```

```
contents := new.
```



Guidelines for Creating Template Methods

Simple implementation.

Implement all the code in one method.

Break into steps.

Comment logical subparts

Make step methods.

Extract subparts as methods

Call the step methods

Make constant methods, i.e., methods doing nothing else than returning.

Repeat steps 1-5 if necessary on the methods created



Inheritance vs. Composition



Delegation of Responsibilities

New requirement: A document can be printed on different printers for example lw100s or lw200s depending on which printer is first encountered.



Ad-hoc Solution

```
LanPrinter>>accept: aPacket
  (thePacket addressee = #*lw*)
  ifTrue: [ self print: thePacket]
  ifFalse: [ (thePacket isAddressedTo: self)
             ifTrue: [self print: thePacket]
             ifFalse: [super accept: thePacket]]
```

Limits:


not general

brittle because based on a convention

adding a new kind of address behavior requires editing the class Printer



Create Object and Delegate



- An alternative solution: `isAddressedTo:` could be sent directly to the address
- With the current solution, the packet can still control the process if needed

NodeAddress

NodeAddress is responsible for identifying the packet receivers

Packet>>isAddressedTo: aNode

^ self address isAddressedTo: aNode **address** “**was name**”

Object subclass: #NodeAddress

instanceVariableNames: ‘id‘

NodeAddress>>isAddressedTo: aNodeAddress

^ self id = aNodeAddress id



Matching Address

For packets with matchable addresses

Packet send: 'lulu' to: (MatchingAddress with: #*lw*)

Address subclass: #MatchingAddress

instanceVariableNames: "

MatchingAddress>>isAddressedTo: aNodeAddress

^ self id match: aNodeAddress id




Addresses

Object subclass: #Address
instanceVariableNames: 'id'

Address>>isAddressedTo: anAddress
^self subclassResponsibility

Address subclass: #NodeAddress
instanceVariableNames: ''

Address subclass: #MatchingAddress
instanceVariableNames: ''



Trade-Off

Delegation Pros

No blob class: one class one responsibility

Variation possibility

Pluggable behavior without inheritance extension

Runtime pluggability

Delegation Cons

Difficult to follow responsibilities and message flow

Adding new classes = adding complexities (more names)

New object



Inheritance vs. Composition

Inheritance is not a panacea

- Require class definition

- Require method definition

- Extension should be prepared in advance

- No run-time changes

Ex: editor with spell-checkerS, colorizerS, mail-readerS....


- No clear responsibility

- Code bloated

- Cannot load a new colorizers



Delegating to other Objects



myEditor setColorizer: FastColorizer new.

myEditor setColorizer: AdvancedColorizer new.

Strategy design pattern

Composition Analysis

Pros

- Possibility to change at run-time
- Clear responsibility
- No blob
- Clear interaction protocol

Cons

- New class
- Delegation
- New classes



Designing Classes...



Designing Classes for Reuse

Encapsulation principle: minimize data representation dependencies

Complete interface

No overuse of accessors

Responsibility of the instance creation

Loose coupling between classes

Methods are units of reuse (self send)

Use polymorphism as much as possible to avoid type checking

Behavior up and state down

Use correct names for class

Use correct names for methods



Summary



Nothing magic
Think about it
Find your own heuristics
Taste, try and be critic

Be the force with you...